



Drawer slides



Drawer slides



Art. no.: 150.3670 (Soft-close)

Full extension (3 members)


The maximum width of the drawer is the slide length + 200mm.

Sold in pairs.


Article no.		Material	Dimensions in mm							Travel length	Load capacity in N/pair	Soft-closes mechanism distance from closed position in mm
Series	Execution (Slide length)		A	B	C	D	E	F	G			
150.3670	-250	Zinc plated Steel .04	124	-	-	-	87	-	-	200	147	20
	-300		174	-	-	-	-	-	-	300		
	-350		96	224	-	-	-	183	-	350		
	-400		160	256	-	-	-	199	-	400	196	36
	-450		96	192	306	-	119	247	-	450		
	-500		-	-	356	-	-	215	295	500		
	-550		128	224	352	406	-	247	343	550		
	-600		-	-	384	456	-	-	375	600		





Easy to detach:



Simultaneously move the left lever upwards and the right lever downwards.



Move the left and right levers towards you at the same time.



Drawer slides


Art. no.: 150.ESR4670 (Soft-close)

Full extension (3 members)


The maximum width of the drawer is the slide length + 200mm.

Sold in pairs.


Article no.			Dimensions in mm								Travel length	Load capacity in N/pair	Soft-closes mechanism distance from closed position in mm			
Series	Execution (Slide length)	Material														
		-	A	B	C	D	E	F	G	H						
150.ESR4670	-12-300	.30	-	-	-	174	145	-	-	-	265	157	20			
	-14-350					224	151							340		
	-16-400		96				256				167				400	196
	-18-450		128	96		160	306	119			215	-	450	294	36	
	-20-500						344				279		500			
	-22-550						394				215		311	550		
	-24-600		128	192		444	247				375		600	343		
	-26-650										311		407			650
	-28-700										343		471			700



Easy to detach:



The drawer can be detached by pulling the lever in the direction of the arrow.



Drawer slides


Art. no.: 150.4670 (Soft-close)

Full extension (3 members)

The maximum width of the drawer is the slide length + 200mm.

The articles "150.4670-250.04" to "150.4670-600.04" are also available in black chromate.


Easy to detach:



Simultaneously move the left lever upwards and the right lever downwards.

Sold in pairs.

Article no.			Dimensions in mm									Travel-length	Load capacity in N/pair	Soft-closes mechanism distance from closed position in mm	
Series	Execution (Slide length)	Material		A	B	C	D	E	F	G	H				I
		Zinc plated	Black chromated												
		Steel													
150.4670	-250	.04	BL.07	-	-	124	-	87	-	-	179	175	147	20	
	-300			174		229		275			196				
	-350			96		224		183			279	353	245		
	-400					254		199			329	404			
	-450			128	294	247		379	455		294	36			
	-500			96	160	344		295	429		505		343		
	-550					394		215	343		479		556	392	
	-600			96	128	444					529		606	294	
	-650					-		-	416		494		439		579
	-700			480	544				487		629		704		



Drawer slides


Art. no.: 150.L52145 (Soft-close)

Full extension (3 members)

Travel length is slide length – 50mm (approx.).




Sold in pairs.

Easy to detach:



Simultaneously move the left lever upwards and the right lever downwards.

Article no.			Dimensions in mm						Travel length	Load capacity in N/pair	Soft-closes mechanism distance from closed position in mm
Series	Execution (Slide length)	Material Zinc plated Steel	A	B	C	D	E	F			
150.L52145	-410	.04	96	224	-	160	-	362,5	360	540	50
	-460		128	256	16	224	-	412,5	403		
	-510			288				462,5	453		
	-560		160	352		224	320	512,5	502		
	-610		192	384			352	562,5	552		
	-660			416			416	612,5	604		
	-710		224	480				662,5	651		



Drawer slides


Art. no.: 150.3660 (Push to open)

Full extension (3 members).

Hex key included.





Sold in pairs.

Easy to detach:



Simultaneously move the left lever upwards and the right lever downwards.

Article no.			Dimensions in mm									Travel length	Load capacity in N/pair
Series	Execution (Slide length)	Material											
		Zinc plated	A	B	C	D	E	F	G	H	W		
150.3660	-250	.04	-	-	-	-	121	87	-	-	450	250	147
	-300		71				171	119			500	300	
	-350		103				221		183		550	350	
	-400						271	199	600		400		
	-450			263	321		247	650	450	196			
	-500			167	295		371	295	700		500		
	-550		199	327	421		215	345	750		550		
	-600				391		471	247	375		800	600	



Turning the hex key clockwise will cause the PAE to bulge in the direction of the arrow, which may reduce rattling when closed and expand the push-to-open area.


Drawer slides

Art. no.: 150.4638 (Push to open)

Full extension (3 members).


Sold in pairs.

Easy to detach:



The drawer can be detached by pulling the lever in the direction of the arrow.

Article no.		Material	Dimensions in mm									Max. Drawer length		Travel length	Load capacity in N/pair
Series	Execution (Slide length)		A	B	C	D	E	F	G	H	I	W	K		
150.4638	-14-350	Zinc plated Steel .04	-				224	128	-	-	224	550	215	356	441
	-16-400						288		256	-		600	250	406	422
	-18-450						320	-		320	-	650	280	457	392
	-20-500						384		224	352		700	310	508	373
	-22-550		128			192	416	128		320	416	750	340	559	353
	-24-600						480				448	800	375	610	333
	-26-650					416	512				512	850	405	660	304
	-28-700					448	512			352	544	900	435	711	265



T-8


Drawer slides

Art. no.: 150.AR3-16

Full extension (3 members).
Only 16mm in height.

Sold by piece.

Article no.			Dimensions in mm		Travel length	Load capacity in N/pair
Series	Execution (Slide length)	Material	A	B		
150.AR3-16	-80	Anodized Aluminium	-	56	77	20
	-100	.70	38	76	117	29
	-150		63	126	151	39




Art. no.: 150.ARW2-16 (2-way)

3/4 extension (2 members).
Only 16mm in height.

Sold by piece.

Article no.			Dimensions in mm					Travel length	Load capacity N/pair Vertical installation	Load capacity N/pair Horizontal installation
Series	Execution (Slide length)	Material	A	B	C	D	E			
150.ARW2-16	-70	Anodized Aluminium	-	46	70	-	46	32	29	11
	-100	.70	38	76	100	38	76	40	49	20
	-150		63	126	150	63	126	79	69	30




Drawer slides

Art. no.: 150.ARL2-16

Only 16mm in height.

Sold by piece.

Article no.			Dimensions in mm					Travel length	Load capacity N/pair Vertical installation	Load capacity N/pair Horizontal installation
Series	Execution (Slide length)	Material Anodized Aluminium	A	B	C	D	E			
150.ARL2-16	-70	.70	5	18	28	-	46	30	20	8
	-100		10	19	39	38	76	52	49	18
	-150					63	126	96		




Art. no.: 150.SCR3

Full extension (3 members).

Only 15,5mm in height.

Sold by piece.

Article no.			Dimensions in mm			Holes	Travel length	Load capacity N/pair Vertical installation
Series	Execution (Slide length)	Material - Stainless steel	A	B	C			
150.SCR3-15	-80A	.30	56	-	32	A type (through hole)	97	98
	-100A		76	38	52		125	108
	-150A		126	63	102		177	118
	-80B		56	-	32	B type (screw hole)	97	98
	-100B		76	38	53		125	108
	-150B		126	63	102		177	118



Drawer slides

Art. no.: 150.SCRW2 (2-Way)


3/4 extension (2 members).

Only 15,5mm in height.

Sold by piece.

Sold by piece.

Article no.		Dimensions in mm						Travel length		Load capacity N/pair Vertical installation	
Series	Execution (Slide length)	Material	A	B	C	D	E	F	Front		Back
		- Stainless steel									
150.SCRW2-15	-80A	.30	56	-	28	56	-	32	48,5		137
	-100A		76	38	48	76	38	52	68,5		157
	-150A		126	63	98	126	63	102	94,5		177




Art. no.: 150.SCRL2

Only 15,5mm in height.

Sold by piece.

Sold by piece.												
Article no.			Dimensions in mm								Travel length	Load capacity N/pair Vertical installation
Series	Execution (Slide length)	Material										
		-										
	Stainless steel	A	B	C	D	E	F	G	H			
150.SCRL2-15	-80A	.30	28	18	-	-	-	56	-	32	49	177
	-100A		38	28	6	12	10	76	38	52	59	206
	-150A							126	63	102	109	
	-200A		48	38	10	14	14	176	88	152	149	235



※ Types with slide length 80mm have no holes

Drawer slides


Art. no.: 150.ESR-4513

Full extension

Positive stop
Hold-in detent

Sold in pairs.

Article no.		Dimensions in mm									Travel length		
Series	Execution (Slide length)	Material	A	B	C	D	E	F	G	H		I	
		- Stainless steel											
150.ESR-4513	-10-250	.30	-	-	-	-	192	-	-	-	-	243	
	-12-300						242	224				416	305
	-14-350						292						355
	-16-400						342	320	406				
	-18-450						392	352	457				
	-20-500				442		416	508					
	-22-550				416	492	352	448	559				
	-24-600				-	542		480	610				
	-26-650		224		416	592		544	660				
	-28-700		288	544	642	711							




Art. no.: 150.ESR-3813

Full extension

Positive stop
Hold-in detent

Sold in pairs.

Article no.			Dimensions in mm									Travel length
Series	Execution (Slide length)	Material	A	B	C	D	E	F	G	H	I	
		- Stainless steel										
150.ESR-3813	-8-200	.30	-	-	-	-	142	-	-	-	-	200
	-10-250		192				-	243				
	-12-300		242				-	305				
	-14-350		292				-	355				
	-16-400		342				320	406				
	-18-450		392				352	457				
	-20-500		442				416	508				
	-22-550		492				352	448			559	
	-24-600		542				352	480			610	
							224	416			-	




Drawer slides

Art. no.: 150.ESR2021

3/4 extension (2 members)

Sold by piece.

Article no.			Dimensions in mm							Travel length	Load capacity in N/pair	
Series	Execution (Slide length)	Material										
		-										
Stainless steel			A	B	C	D	E	F	G			
150.ESR2021	-200	.30	-	145	160	-	-	145	160	134	127	
	-250		150	195	210			195	210	184	147	
	-300		190	245	260		160	245	260	224	157	
	-350		225	295	310		210	295	310	244		
	-400		265	345	360		260	345	360	294	147	
	-450		300	395	410		205	310	395	410	334	127
	-500		337	445	460		230	360	445	460	384	108



- ❖ When fixing the mounting hole „b“, move the inner member backwards and use access hole „e“.
- ❖ When fixing the mounting hole „c“ for slides above 450mm, move the inner member backwards and use access hole „d“.
- ❖ Mounting hole „a“ is unnecessary in normal installation.


Drawer slides

Art. no.: 150.ESR2031

Full extension (3 members)

Sold by piece.

Article no.			Dimensions in mm				Travel length	Load capacity in N/pair
Series	Execution (Slide length)	Material						
		-						
Stainless steel			A	B	C	D		
150.ESR2031	-200	.30	-	-	145	160	229	167
	-250				195	210	269	
	-300			160	245	260	329	
	-350			210	295	310	369	
	-400			260	345	360	429	
	-450		205	310	395	410	469	157
	-500		230	360	445	460	529	127




Drawer slides

Art. no.: 150.SNS27S

3/4 extension (2 members)

Sold by piece.

Article no.		Dimensions in mm					Travel length	Load capacity in N/pair	
Series	Execution (Slide length)	Material	A	B	C	D			E
		- Stainless steel							
150.SNS27S	-20-200	.30	-	140	160	140	160	135	255
	-25-250		150	190	210	190	210	185	235
	-30-300		190	240	260	240	260	222	
	-35-350		225	290	310	290	310	260	225
	-40-400		265	340	360	340	360	297	206
	-45-450		300	390	410	390	410	334	196
	-50-500		337	440	460	440	460	371	176



When closed



When opened




Drawer slides

Art. no.: 150.SNS27D

Full extension (3 members)

Sold by piece.

Article no.		Material	Dimensions in mm		Travel length	Load capacity in N/pair
Series	Execution (Slide length)		A	B		
150.SNS27D	-20-200	.30 Stainless steel	140	160	216,8	373
	-25-250		190	210	266	363
	-30-300		240	260	315,2	353
	-35-350		290	310	364,4	333
	-40-400		340	360	413,6	313
	-45-450		390	410	462,8	294
	-50-500		440	460	512	275



Drawer slides


Art. no.: 150.272SL

3/4 extension (2 members)

The drawer is detachable by lifting the lever.

Sold in pairs.

Article no.			Dimensions in mm						Travel length	Load capacity in N/pair
Series	Execution (Slide length)	Material								
		- Stainless steel	A	B	C	D	E	F		
150.272SL	-300	.30	165	236	-	-	230	245	220	177
	-350		206	277			280	295	261	167
	-400		246	317	362,5	330	345	301	157	
	-450		278	349	395	410	380	395	333	147
	-500		318	389	445	460	430	445	373	137



Drawer slides


Art. no.: 150.273SL

3/4 extension (2 members)

The drawer is detachable by lifting the lever.

Sold in pairs.

Article no.			Dimensions in mm						Travel length	Load capacity in N/pair
Series	Execution (Slide length)	Material								
		- Stainless steel								
150.273SL	-200	.30	-	135	-	-	145	160	221	177
	-250			143,5	195	210	195	210	280	167
	-300		100	188	245	260	245	260	327	157
	-350			211,5	295	310	295	310	376	147
	-400			236	345	360	345	360	426	137
	-450			261,5	395	410	395	410	478	128
	-500			282	445	460	445	460	524	118




Drawer slides

Art. no.: 150.SNS35S

3/4 extension (2 members)

Sold by piece.

Article no.			Dimensions in mm									Slide length	Travel length	Load capacity in N/pair
Series	Execution	Material												
		-	A	B	C	D	E	F	G	H	K			
150.SNS35S	-30	.30	-	152,4	254	-	149,2	260,3	273	2	3	304,8	228,6	481
	-35			203,2	304,8		200	311,1	323,8			355,6	279,4	461
	-40			254	355,6		250,8	361,9	374,6			406,4	304,8	422
	-45		203,2	304,8	406,4	212,7	301,6	412,7	425,4	3	4	457,2	330,2	402
	-50		228,6	355,6	457,2	238,1	352,4	463,5	476,2			508	381	363
	-55		254	406,4	508	263,5	403,2	514,3	527			558,8	406,4	333
	-60		279,4	457,2	558,8	288,9	454	565,1	577,8			609,6	431,8	294
	-65		304,8	508	609,6	314,3	504,8	615,9	628,6			660,4	482,6	265
	-70		330,2	558,8	660,4	339,7	555,6	666,7	679,4			711,2	508	245




Drawer slides

Art. no.: 150.SNS35D

Full extension (3 members)

Sold by piece.

Article no.		Dimensions in mm				Slide length	Travel length	Load capacity in N/pair	
Series	Execution	Material	A	B	C				D
		- Stainless steel							
150.SNS35D	-30	.30	-	149,2	260,3	273	304,8	327,2	588
	-35			200	311,1	323,8	355,6	377,9	579
	-40			250,8	361,9	374,6	406,4	428,7	559
	-45		212,7	301,6	412,7	425,4	457,2	479,5	549
	-50		238,1	352,4	463,5	476,2	508	530,3	530
	-55		263,5	403,2	514,3	527	558,8	580,3	500
	-60		288,9	454	565,1	577,8	609,6	631,9	481
	-65		314,3	504,8	615,9	628,6	660,4	682,7	461
	-70		339,7	555,6	666,7	679,4	711,2	733,5	441




Drawer slides

Art. no.: 150.SNS35W

Full extension (3 members)

Sold by piece.

Article no.			Dimensions in mm								Slide length	Travel length	Load capacity in N/pair
Series	Execution	Material											
		-											
		Stainless steel	A	B	C	D	E	F	G	H			
150.SNS35W	-30	.30	-	-	-	260,3	273	-	260,3	273	304,8	327,2	623
	-35				298,4	311,1	323,8		311,1	323,8	355,6	377-9	586
	-40				349,2	361,9	374,6		250,8	361,9	374,8	406,4	428,7
	-45		212,7	365,1	400	412,7	425,4	301,6	412,7	425,4	457,2	479,5	516
	-50		238,1		450,8	463,6	476,2	352,4	463,6	476,2	508	530,3	475
	-55		263,5		501,6	514,3	527	403,2	514,3	527	558,8	581,2	444
	-60		288,9		552,4	565,1	577,8	454	565,1	577,8	609,6	631,9	413
	-65		314,3		603,2	615,9	628,6	504,8	615,9	628,6	660,4	682,7	382
	-70		339,7		654	666,7	679,4	555,6	666,7	679,4	711,2	733,5	355



Drawer slides




Art. no.: 150.ESR1

3/4 extension (2 members)

The drawer can be stopped at any position by the resistance of the ball retainer.


Sold by piece.

Article no.			Dimensions in mm							Slide length	Travel length	Load capacity in N/pair
Series	Execution	Material										
		-										
Stainless steel			A	B	C	D	E	F	G			
150.ESR1	-12	.30	-	152,4	254	-	149,2	260,3	273	304,8	228,6	481
	-14			203,2	304,8		200	311,1	323,8	355,6	279,4	461
	-16			254	355,6		250,8	361,9	374,6	406,4	304,8	422
	-18		203,2	304,8	406,4	212,7	301,6	412,7	425,4	457,2	330,2	402
	-20		228,6	355,6	457,2	238,1	352,4	463,5	476,2	508	381	363
	-22		254	406,4	508	263,5	403,2	514,3	527	558,8	406,4	333
	-24		279,4	457,2	558,8	288,9	454	565,1	577,8	609,6	432,8	294
	-26		304,8	508	609,6	314,3	504,8	615,9	628,6	660,4	482,6	265
	-28		330,2	558,8	660,4	339,7	555,6	666,7	679,4	711,2	508	245



Sold by piece.

Article no.			Dimensions in mm							Slide length	Travel length	Load capacity in N/pair
Series	Execution	Material										
		-										
		Stainless steel										
150.ESR13	-12	.30	-	177,8	258	-	149,2	260,3	273	304,8	228,6	481
	-14			228,6	308,8		200	311,1	323,8	355,6	279,4	461
	-16			254	359,6		250,8	361,9	374,6	406,4	304,8	422
	-18		203,2	279,4	410,4	212,7	301,6	412,7	425,4	457,2	330,2	402
	-20		228,6	330,2	461,2	238,1	352,4	463,5	476,2	508	381	363
	-22		254	355,6	512	263,5	403,2	514,3	527	558,8	406,4	333
	-24			381	562,8	288,9	454	565,1	577,8	609,6	431,8	294
	-26			431,8	613,6	314,3	504,8	615,9	628,6	660,4	482,6	265
	-28		279,4	457,2	664,4	339,7	555,6	666,7	679,4	711,2	508	245




Drawer slides

Art. no.: 150.ESR8

3/4 extension (2 members)

Sold by piece.

Article no.			Dimensions in mm									Slide length	Travel length	Load capacity in N/pair
Series	Execution	Material												
		- Stainless steel	A	B	C	D	E	F	G	H	I			
150.ESR8	- 12	.30	152,4	-	-	259,5	-	-	149,2	260,3	273	304,8	228,6	481
	- 14		310,3			200			311,1	323,8	355,6	279,4	461	
	- 16		335,7			355,6			250,8	361,9	374,6	406,4	304,8	422
	- 18		340,7		366,1	406,4	212,7	301,6	412,7	425,4	457,2	330,2	402	
	- 20		228,6		391,5	411,9	457,2	238,1	352,4	463,5	476,2	508	381	363
	- 22		254		416,9	437,3	508	263,5	403,2	514,3	527	558,8	406,4	333
	- 24		279,4		443,3	463,7	558,8	288,9	454	565,1	577,8	609,6	432,8	294
	- 26		304,8		493,1	513,5	609,6	314,3	504,8	615,9	628,6	660,4	482,6	265
	- 28		330,2	558,9	538,9	558,8	660,4	339,7	555,6	666,9	679,6	711,2	508	245







Drawer slides

Art. no.: 150.ESR7

Full extension (3 members)

Sold by piece.

Article no.			Dimensions in mm							Slide length	Travel length	Load capacity in N/pair
Series	Execution	Material										
		- Stainless steel	A	B	C	D	H	I	J			
150.ESR7	-12	.30	228	248,4	-	-	-	260,3	273	304,8	336	623
	-14		278,8	299,2			311,1	323,8	355,6	386,8	586	
	-16		291,5	311,9			250,8	361,9	374,6	406,4	437,6	555
	-18		316,9	337,3	212,7		301,6	412,7	425,4	457,2	488,4	516
	-20		342,3	362,7	238,1		352,4	463,5	476,2	508	539,2	476
	-22		367,7	388,1	263,5	415,9	403,2	514,3	527	558,8	590	444
	-24		393,1	413,5	288,9	466,7	454	565,1	577,8	609,6	640,8	413
	-26		418,5	438,9	314,3	517,5	504,8	615,9	628,6	660,4	691,6	383
	-28		443,9	464,9	339,7	568,3	555,6	666,7	679,4	711,2	742,4	355





Drawer slides

Art. no.: 150.ESR3

Full extension (3 members)

Sold in pairs.

Article no.			Dimensions in mm					Drawer bracket length	Outer member length	Slide length	Travel length	Load capacity in N/pair	
Series	Execution	Material											
		-	A	B	C	D	E						
Stainless steel													
150.ESR3	-12	.30	-	-	123,1	218,3	245,3	273	6	304,8	348,4	637	
	-14				173,9	269,1	296,1			355,6	399,2	598	
	-16				224,7	319,9	346,9			406,4	450		
	-18		187,3	275,5	370,7	397,7	375	7	457,2	500,8	549		
	-20		212,7	326,3	421,5	448,5			508	551,6	510		
	-22		177,8	238,1	377,1	472,3	499,3		527			558,8	602,4
	-24			263,5	427,9	523,1	550,1				609,6	653,2	471
	-26			288,9	478,7	573,9	600,9		575,3		660,4	704	422
	-28			314,3	529,5	624,7	651,7				711,2	754,8	





Drawer slides

Art. no.: 150.ESR4658

Full extension (3 members)

Sold in pairs.

Article no.		Dimensions in mm										Travel length	Load capacity in N/pair
Series	Execution (Slide length)	Material	A	B	C	D	E	F	G	H	I		
		- Stainless steel											
150.ESR4658	-14-350	.30	-	-	-	-	-	292	224	-	-	356	490
	-16-400		320		-			342		320		406	470
	-18-450				352			-		392		352	457
	-20-500		128					-		442		416	508
	-22-550			416	492	352	448		559	402			
	-24-600				224		542	480	610	382			
	-26-650			-		592	544	660	353				
	-28-700		448		642	711		314					






Drawer slides

Art. no.: 150.5302S (for heavy duty)

Full extension (3 members)

Sold by piece.

Article no.			Dimensions in mm								Travel length	Load capacity in N/pair
Series	Execution (Slide length)	Material										
		-										
Stainless steel			A	B	C	D	E	F	G	H		
150.5302S	-300	.30	128	256	-	-	112	192	-	-	334	1137
	-350		160	320	-		144	240	-		384	1088
	-400			256	352			224	304		433	970
	-450		128	288	416	-	80	272	352	-	482	941
	-500				448			384	532		902	
	-550		192	320	512		-	112	288		448	-
	-600		208	336	544	336			496	630	794	
	-650		128	288	480	608	-	272	416	544	677	745
	-700			336	544	672		144	304	448	592	728
	-750			192	370	530	722	176	336	496	648	777
	-800		224	388	548	772	192	384	576	688	826	627



The same processing for outer member and inner member.


Drawer slides

Art. no.: 150.ESR5 (for heavy duty)

3/4 extension (2 members)

Sold by piece.

Article no.		Material	Dimensions in mm						Slide length	Travel length	Holes		Load capacity in N/pair
Series	Execution		A	B	C	D	E	F			Inner member	Outer member	
150.ESR5	-12	Polished Stainless steel	-	152,4	254	-	149,2	273	305	221,8	6	8	1118
	-14			203,2	304,8		200	323,8	355,8	259,9			1069
	-16			254	355,6		250,8	374,6	406,6	298			1020
	-18		203,2	304,8	406,4	212,7	301,6	425,4	457,4	348,8		10	1000
	-20		228,6	355,6	457,2	238,1	352,4	476,2	508,2	361,5			971
	-22		254	406,4	508	263,5	403,2	527	559	425			922
	-24		279,4	457,2	558,8	288,9	454	577,8	609,8	450,4			873
	-26		304,8	508	609,6	314,3	504,8	628,6	660,6	463,1			843
	-28		330,2	558,8	660,4	339,7	555,6	679,4	711,4	501,2			785





Drawer slides

Art. no.: 150.ESR10 (for heavy duty)

Full extension (3 members)

Sold by piece.

Article no.			Dimensions in mm			Slide length	Travel length	Load capacity in N/pair
Series	Execution	Material						
		Polished						
		Stainless steel						
150.ESR10	-12	.33	-	149,2	273	305	319	2667
	-14			200	323,8	355,8	369,8	2628
	-16			250,8	374,6	406,6	420,6	2540
	-18		212,7	301,6	425,4	457,4	471,4	2452
	-20		238,1	352,4	476,2	508,2	522,2	2363
	-22		263,5	403,2	527	559	573	2246
	-24		288,9	454	577,8	609,8	623,8	2118
	-26		314,3	504,8	628,6	660,6	674,6	1961
	-28		339,7	555,6	679,4	711,4	725,4	1785





Drawer slides

Art. no.: 150.AR2 (for light weight)

3/4 extension (2 members)

Sold by piece.

Article no.			Dimensions in mm				Travel length	Load capacity in N/pair
Series	Execution (Slide length)	Material	A	B	C	D		
150.AR2	-100	Aluminium	-	70	-	70	60	150
	-200		85	170	85	170	120	120
	-300		135	270	135	270	180	100
	-400		185	370	185	370	240	90
	-500		235	470	235	470	300	80





Art. no.: 150.AR2-K (with hold-out detent)

3/4 extension (2 members)

Sold by piece.

Article no.			Dimensions in mm									Travel length	Load capacity in N/pair
Series	Execution (Slide length)	Material											
		-	A	B	C	D	E	F	G	N1	N2		
150.AR2	-K200	.70	25	60	160	-	150	-	-	2	3	110	125
	-K300		100	230	250		3	170		110			
	-K400		45	150	270	330	130	280	350	4	4	230	95
	-K500			190	340	430		450	290			85	





Drawer slides

Art. no.: 150.AR3 (for light weight)

Full extension (3 members)

Sold by piece.

Article no.			Dimensions in mm				Travel length	Load capacity in N/pair
Series	Execution (Slide length)	Material	A	B	C	D		
150.AR3	-100	Aluminium	-	70	-	70	100	110
	-200		85	170	85	170	223	90
	-300		135	270	135	270	345	70
	-400		185	370	185	370	460	50
	-500		235	470	235	470	576	30





Art. no.: 150.AR3-K (with hold-out detent)

Full extension (3 members)

Sold by piece.

Article no.			Dimensions in mm				Travel length	Load capacity in N/pair
Series	Execution (Slide length)	Material	A	B	C	N		
150.AR3	-K200	Aluminium	150	-	-	2	214	105
	-K300		150	250	-	3	314	100
	-K400		130	280	350	4	414	90
	-K500		130	280	450	4	514	85



Drawer slides

Art. no.: 150.RKA5


3/4 extension (2 members)

Sold in pairs.

Article no.			Dimensions in mm									Slide length	Travel length	Load capacity in N/pair
Series	Execution	Material												
		- Stainless steel	A	B	C	D	E	F	G	H	I			
150.RKA5	-300	.30	165	-	-	105	115	112,5	112,5	-	106	296	205	147
	-350		105	105			120	91,5	92	91,5		346	250	
	-400		127,5	127,5			125	108,5	108	108,5		396	295	
	-450		100	100	100		130	125	125	125		446	340	
	-500		113	114	113		140	106	106,5	106,5		496	380	
	-550		126,5	127	126,5		150	119	118,5	118,5	119	546	420	
	-600		105	105	105		105	160	131,5	131	131	131,5	596	

Right-handed shown.
(right inner member: close type)

Side view of left side shown.
(left inner member: open type)



Drawer slides

Art. no.: 150.ESR9 (for light weight)


Linear ball bearing guide

Ideal for doors of small cabinets.

2 slides can support up to 5kg.

Sold by piece.

Article no.			Dimensions in mm			Slide length	Travel length
Series	Execution	Material					
		- Stainless steel	A	B	C		
150.ESR9	-12	.30	-	152,4	254	304,8	225
	-14			203,2	304,8	355,6	276
	-16			254	355,6	406,4	327
	-18		203,2	304,8	406,4	457,4	378
	-20		228,6	355,6	457,2	508	428
	-22		254	406,4	508	558,8	479
	-24		279,4	457,2	558,8	609,6	530
	-26		304,8	508	609,6	660,4	581
	-28		330,2	558,8	660,4	711,2	632




Drawer slides

Art. no.: 150.ESR2 (under-mount type)

3/4 extension (2 members)

The drawer can be stopped at any position by the resistance of the ball retainer.


The drawer can be detached by pulling outward.



Installed to the bottom of the drawer.

Sold by piece.

Article no.			Dimension in mm	Slide length	Travel length	Load capacity in N/piece
Series	Execution	Material				
		-	A			
		Stainless steel				
150.ESR2	-12	.30	109,9	323,8	215,9	78
	-14		160,7	374,6	266,7	74
	-16		-	425,4	304,8	69
	-18		262,3	476,2	317,5	
	-20		313,1	527	368,3	64
	-22		363,9	577,8	419,1	59
	-24		414,7	628,6	444,5	54
	-26		465,5	679,4	495,3	49



Drawer slides

